



PROPOSED OVERALL LAYOUT



TYPICAL PROPOSED CROSS SECTION (N.T.S.)



NOTES:

DETENTION POND AND OUTFALL STRUCTURE TO BE MAINTAINED BY CLEAR LAKE CITY WATER AUTHORITY TREES TO REMAIN NEAR UPPER BANK OR TREES IN AREAS TO BE GRADED MAY REQUIRE PROTECTION. SEE DETAIL 1 SHEET 24. TREES MAY REQUIRE REMOVAL. CONTRACTOR TO COORDINATE REMOVAL OF TREES OUTSIDE UPPER BANK WITH THE

ALL AREAS STRIPPED OF TOP SOIL SHALL BE REPLACED WITH COMPOST TO ENSURE NATURAL GROUND RETURNS TO EXISTING ELEVATIONS. FINISHED GRADE SHALL NOT BE HIGHER THAN EXISTING ELEVATIONS AND CONTRACTOR SHALL MAINTAIN POSITIVE DRAINAGE TO THE PROPOSED POND. SEE SECTION 02323 - DETENTION POND EXCAVATION OF SPECIFICATIONS FOR PROCEDURES TO PLACE COMPOST.

- PROPOSED CONDUIT TO BE INSTALLED FOR FUTURE AERATION SYSTEM WIRING. CONDUIT INSTALLATION TO INCLUDE PULL STRING, CAP ON BOTH END LOCATIONS AND A PVC PIPE STUB OUT. CONTRACTOR SHALL CONSTRUCT SIDEWALK IN A
- MANNER NOT TO BLOCK NATURAL DRAINAGE TO THE BACKSLOPE SWALE. CONTRACTOR TO VERIFY LENGTH OF BOX CULVERT EXPLORATION GREEN DETENTION PONDS PHASE 1C IS
- CURRENTLY IN CONSTRUCTION AND ANY FIELD CHANGES MAY IMPACT CULVERT LENGTH. UPPER BANK OF DETENTION POND SHALL NOT ENCROACH WITHIN 50' OF PROPERTY LINES. NO PROPOSED WORK WITHIN HARRIS COUNTY FLOOD CONTROL DISTRICT R.O.W.

√6.0" THICK

PROPOSEQ

6" TYP. - 3" TYP.

#3 @ MIN. 18" O.C. EACH WAY

(MIN. LAP LENGTH = 16")

CONCRETE TRAIL

*MAX. SPACING FOR EXPANSION JOINTS SHALE BE 40'

CONCRETE TRAIL DETAIL

-MATCH PROPOSED

SCARIFY EXIST. SOIL A

MIN. OF 6", WET TO

OF MAX. DRY DENSITY

ABOVE OPTIMUM MOISTURE CONTENT, AND THEN COMPACT TO A MIN. 95%

GRADE

LEGEND: EXIST. STORM SEWER LINE EXIST. SANITARY SEWER LINE PROP. RE-USE IRRIGATION LINE -----EXIST. RE-USE IRRIGATION LINE EXIST. FIRE HYDRANT EXIST. MANHOLE EXIST. STORM SEWER INLET EXIST. TREE WETLAND AREA PROP. CONCRETE TRAIL GRASS TRAIL 2027 RIP RAP SLOPE DIRECTION OF FLOW BACKSLOPE SWALE INTERCEPTOR CENTERPOINT GAS LINE ---- GAS -----CENTERPOINT ELECTRIC LINE

> **INTERIM REVIEW ONLY** Document incomplete: not intended for permit, bidding or construction. Lockwood, Andrews & Newnam, Inc. F-2614

6/15/17 Lockwood, Andrews & Newnam, Inc.

CENTERPOINT ELECTRIC BOX

2925 Briarpark Drive Houston, Texas 77042-3720 Tel 713-266-6900 Fax 713-266-7596

PLANNING ENGINEERING

PROGRAM MANAGEMENT

TO ARRANGE FOR LINES TO BE TURNED OFF OR MOVED, CALL CENTERPOINT AT 713-207-2222. NOTICE:
For your safety, you are required by Texas Law to call 811 at least 48 hours

before you dig so that underground line can be marked. This Verification does not fulfill your obligation to call 811. VERIFICATION OF PRIVATE UTILITY LINES

CenterPoint Energy/Natural Gas Facilities Verification ONLY. (This signature verifies that you have shown CNP Natural Gas lines correctly not to be used for conflict verification.) (Gas service lines are not shown.) Signature Valid for six months.

CenterPoint Energy/UNDERGROUND Electrical Facilities Verification ONLY. (This signature verifies existing underground facilities - not to be used for conflict verification.)
Signature Valid for six months.

Approved for AT&T Texas/SWBT underground conduit facilities only.

CLEAR LAKE CITY WATER AUTHORITY EXPLORATION GREEN DETENTION FACILITY PHASE 2

PROPOSED OVERALL LAYOUT

HOUSTON, TX

DRAWING SCALE 1" = 200'

FILE NO:

SHEET 10 of 29